

SAFETY INFORMATION

Status: 01.10.2015

Revise: 02.13.2015

1. IDENTIFICATION AND PREPARATION OF THE SUBSTANCE / COMPANY DATA

Product Name: LD-LIQUID LEATHER

Use / Description: Leather repair product. Fills cracks and holes caused by dryness.

Distributor/supplier: Fa. Lackdesign – Inh. Roman Gold e.U.
Brunnerstraße 77-79/Hall 1
1230 Vienna
Phone: 0043 (0)1 892 34 49
email: office@lackdesign.at

Further information obtainable from: Fa. Lackdesign – Inh. Roman Gold e.U.
Phone: 0043 (0)1 892 34 49

Emergency Information: Fa. Lackdesign – Inh. Roman Gold e.U.
Phone: 0043 (0)1 892 34 49

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Characterization: Preparation

Hazardous Ingredients: The product does not contain any hazardous ingredients according to EU regulations 91/155/EC).

Category Identification / R-phrases: -

3. POTENTIAL HAZARDS

Hazard Designation: -

Information concerning particular hazards for human and environment: This preparation is classified as not dangerous according to Annex II Part B Directive 1999/45/EC.

4. FIRST AID MEASURES (SYMPTOMS and MEASURES)

General information: Remove contaminated clothing.
Inhalation: Not applicable.
After Skin Contact: Wash affected skin area with soap and water.
After Eye Contact: Rinse with plenty of water with eyelid open.
Ingestion: Rinse mouth. Do not induce vomiting.

5. FIRE-FIGHTING PROCEDURES

Suitable extinguishing media: Major Fires – Water spray, fog or foam
Small fire - dry extinguishing powder

Unsuitable extinguishing media: High volume water jet

Special hazards caused by the substance / combustion products: Do not inhale vapors and fumes.

Protective equipment for firefighters: Use self-contained breathing apparatus.

6. ACCIDENTAL RELEASE

General: Information on personal protective equipment can be found in section 8 and information on waste disposal in section 13.

Pers. Precautions: Follow good hygiene.

Environmental precautions: Take up and dispose spilled material.

Cleaning Methods: Clean contaminated surfaces with water.

7. HANDLING AND STORAGE

Information for safe handling: Follow good hygiene. Use original packaging.

Storage conditions: Keep container tightly closed. Protect from frost.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Additional advice on system design: -

Components with critical values that require monitoring at the workplace: -

Respiratory protection: Not applicable.

Eye protection: Safety glasses with side shields.

Skin protection: Not applicable.

Hand Protection: Impervious gloves.

Hygiene measures: Follow good industrial hygiene.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: Fluid

Color: white-blue

Smell: Characteristic

Initial Boiling Point: 100 °C

Density (at 20°C): 1.03 g/cm³

Solubility: miscible with water

pH (at 20°C): 7.5 to 8.5 (alkaline)

Flash point: not applicable

Vapor Pressure: The highest known value is 25.6 kPa.

Viscosity: dynamic 25 to 500 cP

VOC: 1.17 %

More Information: -

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

11. TOXICOLOGICAL INFORMATION

No toxicological impact known based on information and literature.

12. ECOLOGICAL INFORMATION

No environmental impact known based on information and literature.

13. DISPOSAL

Product: Non-hazardous waste

Recommendation: Completely emptied packages may be recycled. Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

14. TRANSPORT INFORMATION

ADR / RID and GGVS / GGVE:	Class:	-
	Number / Letter:	-
	Warning sign:	-
	Hazard no.:	-
	Material no.:	-
	Proper technical name:	Not hazardous according to the Regulation.
IMDG / GGVSee:	Class:	-
	UN No.:	-
	PG:	-
	EMS-No.:	-
	MFAG:	-
	Marine pollutant:	-
	Proper technical name:	-
ICAO-TI and IATA-DGR:	Class:	-
	UN / ID No.:	-
	PG:	-
	Proper technical name:	-

15. REGULATIONS

Code letter and hazard designation of the product: The preparation of the product is classified as not dangerous according to Annex II Part B Directive 1999/45/EC.

AOX: This product has no effect on the AOX (adsorption organic halogens).

TA-Luft (German Clean Air Act): Class 1: 0.77 %
 Class II: 0.01 %

Water hazard class: WGK: 1 (according to VwVwS)

Class of solvents (Italy): B II: 0.00 %
 D II: 0.77 %
 D III: 0.01 %
 D IV: 0.40 %

16. OTHER DATA

Haftungsausschlussklausel: The above information is believed to be correct to the best of our knowledge but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. The information given on this safety data sheet must be regarded as a description of the safety requirements relating to our product and not a guarantee of its properties. This information is not part of any contractual agreement.

This safety data sheet was created electronically and applies without signature.

Date of print: 02/13/2015